

KOM3C 4800	4800	87	0.00	-	-	-	-	-	KOM3P 4800	4800	1006.5	0.00	-	-	-	-	-	-
KOM3C 4850	4850	80	0.00	-	-	-	-	-	KOM3P 4850	4850	1049.5	0.00	-	-	-	-	-	-
KOM3C 4900	4900	73.5	0.00	-	-	-	-	-	KOM3P 4900	4900	1092.5	0.00	-	-	-	-	-	-
KOM3C 4950	4950	68	0.00	-	-	-	-	-	KOM3P 4950	4950	1136	0.00	-	-	-	-	-	-
KOM3C 5000	5000	62.5	0.00	-	-	-	-	-	KOM3P 5000	5000	1180.5	0.00	-	-	-	-	-	-
KOM3C 5050	5050	57.5	0.00	-	-	-	-	-	KOM3P 5050	5050	1225	0.00	-	-	-	-	-	-
KOM3C 5100	5100	52.5	0.00	-	-	-	-	-	KOM3P 5100	5100	1269.5	0.00	-	-	-	-	-	-

Implied volatility for ATM			Previous day	1D%CHG
MAR 23	CALL	41.28	41.24	0.10
	PUT	41.25	41.26	-0.02
	MEAN	41.27	41.25	0.04
APR 23	CALL	43.06	42.99	0.16
	PUT	42.99	43.06	-0.16
	MEAN	43.03	43.03	0.00
MAY 23	CALL	41.87	41.92	-0.12
	PUT	41.89	41.92	-0.07
	MEAN	41.88	41.92	-0.10

	10Days	20Days	30Days	60Days	90Days
Current	31.01	38.12	35.16	32.18	30
1 week ago	24.23	29.2	30.87	28.34	34
1 month ago	23.12	26.24	26.61	35.56	37
3 months ago	40.08	42.53	39.26	40.19	43
6 months ago	38.59	57.71	48.3	37.89	33

Source: Bloomberg

Kenanga Futures Sdn Bhd (353603-X)

Dealing Desk: (603) 2172 3820 Fax: (603) 2172 2729 Email: futures@kenanga.com.my

Disclaimer: This document has been prepared for general circulation based on information from sources believed to be reliable but we do not make any representations as to its accuracy. Kenanga Futures Sdn Bhd shall not liable for any negligence, default or lack of care and accepts no liability whatsoever for any direct or consequential loss arising from any use of this document.