kenanga

KENANGA FUTURES SDN BHD Company No. 353603-X

**FBMKLCI FUTURES - OPTION**
**DAILY PREVIEW**
**November 10, 2026**

**Underlying Instrument - FKLI**

| Cont | Sett | Change | Open | High | Low | Volm | OpenInt |
|---|---|---|---|---|---|---|---|
| **NOV 26** | 1,614.5 | -27.50 | 1642.50 | 1643.00 | 1607.50 | 8,717 | 36,223 |
| **DEC 26** | 1,616.5 | -25.50 | 1643.00 | 1643.00 | 1609.00 | 475 | 1,072 |
| **MAR 27** | 1,599.0 | -27.00 | 1619.00 | 1620.00 | 1592.50 | 113 | 374 |
| **JUN 27** | 1,599.0 | -25.00 | 1604.50 | 1604.50 | 1597.00 | 13 | 7 |

| Calls | | | | | | | | | Puts | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ticker | Strike | Last | 1D% | High | Low | Volm | OInt | OIChg | Ticker | Strike | Last | 1D% | High | Low | Volm | OInt | OIChg |
| **Nov-26 (20d 11/30/26); CSize 50; IKX6 1614.50** | | | | | | | | | | | | | | | | | |
| IKX6C 1530 | 1530 | 84.4 | 0 | | | 0 | 0 | 0 | IKX6P 1530 | 1530 | 0.1 | 0 | | | 0 | 0 | 0 |
| IKX6C 1540 | 1540 | 74.4 | 0 | | | 0 | 0 | 0 | IKX6P 1540 | 1540 | 0.1 | 0 | | | 0 | 0 | 0 |
| IKX6C 1550 | 1550 | 64.4 | 0 | | | 0 | 0 | 0 | IKX6P 1550 | 1550 | 0.1 | 0 | | | 0 | 0 | 0 |
| IKX6C 1560 | 1560 | 54.5 | 0 | | | 0 | 0 | 0 | IKX6P 1560 | 1560 | 0.1 | 0 | | | 0 | 0 | 0 |
| IKX6C 1570 | 1570 | 44.8 | 0 | | | 0 | 0 | 0 | IKX6P 1570 | 1570 | 0.4 | 0 | | | 0 | 0 | 0 |
| IKX6C 1580 | 1580 | 35.5 | 0 | 35.5 | 35.5 | 0 | 30 | 0 | IKX6P 1580 | 1580 | 1 | 0 | | | 0 | 0 | 0 |
| IKX6C 1590 | 1590 | 25.5 | 0 | 25.5 | 25.5 | 0 | 90 | 0 | IKX6P 1590 | 1590 | 5 | 0 | | | 0 | 0 | 0 |
| IKX6C 1600 | 1600 | 19 | 0 | 19.5 | 19 | 0 | 102 | 0 | IKX6P 1600 | 1600 | 12.1 | 0 | 12.1 | 12 | 0 | 2 | 2 |
| IKX6C 1610 | 1610 | 12 | 0 | 12 | 12 | 0 | 92 | 20 | IKX6P 1610 | 1610 | 8.1 | 0 | | | 0 | 35 | 0 |
| IKX6C 1620 | 1620 | 10 | 0 | 10 | 10 | 0 | 46 | 2 | IKX6P 1620 | 1620 | 13.2 | 0 | | | 0 | 101 | 0 |
| IKX6C 1630 | 1630 | 4.3 | 0 | | | 0 | 0 | 0 | IKX6P 1630 | 1630 | 17 | 0 | 17 | 17 | 0 | 125 | 0 |
| IKX6C 1640 | 1640 | 2.2 | 0 | | | 0 | 0 | 0 | IKX6P 1640 | 1640 | 26 | 0 | 26 | 26 | 0 | 70 | 0 |
| IKX6C 1650 | 1650 | 1 | 0 | | | 0 | 0 | 0 | IKX6P 1650 | 1650 | 35 | 0 | 35 | 35 | 0 | 72 | 0 |
| IKX6C 1660 | 1660 | 0.4 | 0 | | | 0 | 0 | 0 | IKX6P 1660 | 1660 | 45.8 | 0 | | | 0 | 6 | 0 |
| IKX6C 1670 | 1670 | 0.2 | 0 | | | 0 | 0 | 0 | IKX6P 1670 | 1670 | 55.6 | 0 | | | 0 | 0 | 0 |
| IKX6C 1680 | 1680 | 0.1 | 0 | | | 0 | 0 | 0 | IKX6P 1680 | 1680 | 65.4 | 0 | | | 0 | 0 | 0 |
| IKX6C 1690 | 1690 | 0.1 | 0 | | | 0 | 0 | 0 | IKX6P 1690 | 1690 | 75.4 | 0 | | | 0 | 0 | 0 |
| IKX6C 1700 | 1700 | 0.1 | 0 | | | 0 | 0 | 0 | IKX6P 1700 | 1700 | 85.4 | 0 | | | 0 | 0 | 0 |
| **Dec-26 (51d 12/31/26); CSize 50; IKZ6 1616.50** | | | | | | | | | | | | | | | | | |
| IKZ6C 1540 | 1540 | 76.5 | 0 | | | 0 | 0 | 0 | IKZ6P 1540 | 1540 | 0.3 | 0 | | | 0 | 0 | 0 |
| IKZ6C 1550 | 1550 | 66.8 | 0 | | | 0 | 0 | 0 | IKZ6P 1550 | 1550 | 0.6 | 0 | | | 0 | 0 | 0 |
| IKZ6C 1560 | 1560 | 57.4 | 0 | | | 0 | 0 | 0 | IKZ6P 1560 | 1560 | 1.2 | 0 | | | 0 | 0 | 0 |
| IKZ6C 1570 | 1570 | 48.4 | 0 | | | 0 | 0 | 0 | IKZ6P 1570 | 1570 | 2.1 | 0 | | | 0 | 0 | 0 |
| IKZ6C 1580 | 1580 | 39.8 | 0 | | | 0 | 0 | 0 | IKZ6P 1580 | 1580 | 3.5 | 0 | | | 0 | 0 | 0 |
| IKZ6C 1590 | 1590 | 32 | 0 | | | 0 | 0 | 0 | IKZ6P 1590 | 1590 | 5.6 | 0 | | | 0 | 0 | 0 |
| IKZ6C 1600 | 1600 | 24.9 | 0 | | | 0 | 0 | 0 | IKZ6P 1600 | 1600 | 8.5 | 0 | | | 0 | 0 | 0 |
| IKZ6C 1610 | 1610 | 18.9 | 0 | | | 0 | 0 | 0 | IKZ6P 1610 | 1610 | 12.4 | 0 | | | 0 | 0 | 0 |
| IKZ6C 1620 | 1620 | 13.8 | 0 | | | 0 | 0 | 0 | IKZ6P 1620 | 1620 | 17.3 | 0 | | | 0 | 0 | 0 |
| IKZ6C 1630 | 1630 | 9.7 | 0 | | | 0 | 0 | 0 | IKZ6P 1630 | 1630 | 23.1 | 0 | | | 0 | 0 | 0 |
| IKZ6C 1640 | 1640 | 6.6 | 0 | | | 0 | 0 | 0 | IKZ6P 1640 | 1640 | 30 | 0 | | | 0 | 0 | 0 |
| IKZ6C 1650 | 1650 | 4.3 | 0 | | | 0 | 0 | 0 | IKZ6P 1650 | 1650 | 37.6 | 0 | | | 0 | 2 | 0 |
| IKZ6C 1660 | 1660 | 2.7 | 0 | | | 0 | 0 | 0 | IKZ6P 1660 | 1660 | 46 | 0 | | | 0 | 0 | 0 |
| IKZ6C 1670 | 1670 | 1.6 | 0 | | | 0 | 0 | 0 | IKZ6P 1670 | 1670 | 54.9 | 0 | | | 0 | 0 | 0 |
| IKZ6C 1680 | 1680 | 0.9 | 0 | | | 0 | 0 | 0 | IKZ6P 1680 | 1680 | 64.1 | 0 | | | 0 | 0 | 0 |
| IKZ6C 1690 | 1690 | 0.5 | 0 | | | 0 | 0 | 0 | IKZ6P 1690 | 1690 | 73.7 | 0 | | | 0 | 0 | 0 |
| IKZ6C 1700 | 1700 | 0.3 | 0 | | | 0 | 0 | 0 | IKZ6P 1700 | 1700 | 83.4 | 0 | | | 0 | 0 | 0 |
| IKZ6C 1710 | 1710 | 0.1 | 0 | | | 0 | 0 | 0 | IKZ6P 1710 | 1710 | 93.2 | 0 | | | 0 | 0 | 0 |
| IKZ6C 1720 | 1720 | 0.1 | 0 | | | 0 | 0 | 0 | IKZ6P 1720 | 1720 | 103.1 | 0 | | | 0 | 0 | 0 |
| IKZ6C 1730 | 1730 | 0.1 | 0 | | | 0 | 0 | 0 | IKZ6P 1730 | 1730 | 113 | 0 | | | 0 | 0 | 0 |
| IKZ6C 1740 | 1740 | 0.1 | 0 | | | 0 | 0 | 0 | IKZ6P 1740 | 1740 | 123 | 0 | | | 0 | 0 | 0 |
| IKZ6C 1750 | 1750 | 0.1 | 0 | | | 0 | 0 | 0 | IKZ6P 1750 | 1750 | 132.9 | 0 | | | 0 | 0 | 0 |
| IKZ6C 1760 | 1760 | 0.1 | 0 | | | 0 | 0 | 0 | IKZ6P 1760 | 1760 | 142.9 | 0 | | | 0 | 0 | 0 |
| IKZ6C 1770 | 1770 | 0.1 | 0 | | | 0 | 0 | 0 | IKZ6P 1770 | 1770 | 152.8 | 0 | | | 0 | 0 | 0 |
| IKZ6C 1780 | 1780 | 0.1 | 0 | | | 0 | 0 | 0 | IKZ6P 1780 | 1780 | 162.8 | 0 | | | 0 | 0 | 0 |
| IKZ6C 1790 | 1790 | 0.1 | 0 | | | 0 | 0 | 0 | IKZ6P 1790 | 1790 | 172.8 | 0 | | | 0 | 0 | 0 |
| IKZ6C 1800 | 1800 | 0.1 | 0 | | | 0 | 0 | 0 | IKZ6P 1800 | 1800 | 182.7 | 0 | | | 0 | 0 | 0 |
| **Mar-27 (141d 3/31/27); CSize 50; IKH7 1599.00** | | | | | | | | | | | | | | | | | |
| IKH7C 1520 | 1520 | 80.8 | 0 | | | 0 | 0 | 0 | IKH7P 1520 | 1520 | 2.7 | 0 | | | 0 | 0 | 0 |
| IKH7C 1540 | 1540 | 63.7 | 0 | | | 0 | 0 | 0 | IKH7P 1540 | 1540 | 5.4 | 0 | | | 0 | 0 | 0 |
| IKH7C 1560 | 1560 | 48.3 | 0 | | | 0 | 0 | 0 | IKH7P 1560 | 1560 | 9.7 | 0 | | | 0 | 0 | 0 |
| IKH7C 1580 | 1580 | 35 | 0 | | | 0 | 0 | 0 | IKH7P 1580 | 1580 | 16.2 | 0 | | | 0 | 0 | 0 |
| IKH7C 1600 | 1600 | 24.1 | 0 | | | 0 | 0 | 0 | IKH7P 1600 | 1600 | 25.1 | 0 | | | 0 | 0 | 0 |
| IKH7C 1620 | 1620 | 15.8 | 0 | | | 0 | 0 | 0 | IKH7P 1620 | 1620 | 36.5 | 0 | | | 0 | 0 | 0 |
| IKH7C 1640 | 1640 | 9.7 | 0 | | | 0 | 0 | 0 | IKH7P 1640 | 1640 | 50.2 | 0 | | | 0 | 0 | 0 |
| IKH7C 1660 | 1660 | 5.7 | 0 | | | 0 | 0 | 0 | IKH7P 1660 | 1660 | 65.9 | 0 | | | 0 | 0 | 0 |
| IKH7C 1680 | 1680 | 3.1 | 0 | | | 0 | 0 | 0 | IKH7P 1680 | 1680 | 83.1 | 0 | | | 0 | 0 | 0 |
| IKH7C 1700 | 1700 | 1.6 | 0 | | | 0 | 0 | 0 | IKH7P 1700 | 1700 | 101.4 | 0 | | | 0 | 0 | 0 |
| IKH7C 1720 | 1720 | 0.8 | 0 | | | 0 | 0 | 0 | IKH7P 1720 | 1720 | 120.3 | 0 | | | 0 | 0 | 0 |
| IKH7C 1740 | 1740 | 0.4 | 0 | | | 0 | 0 | 0 | IKH7P 1740 | 1740 | 139.7 | 0 | | | 0 | 0 | 0 |
| IKH7C 1760 | 1760 | 0.2 | 0 | | | 0 | 0 | 0 | IKH7P 1760 | 1760 | 159.2 | 0 | | | 0 | 0 | 0 |
| IKH7C 1780 | 1780 | 0.1 | 0 | | | 0 | 0 | 0 | IKH7P 1780 | 1780 | 178.9 | 0 | | | 0 | 0 | 0 |
| **Jun-27 (232d 6/30/27); CSize 50; IKM7 1599.00** | | | | | | | | | | | | | | | | | |
| IKM7C 1540 | 1540 | 67.8 | 0 | | | 0 | 0 | 0 | IKM7P 1540 | 1540 | 10 | 0 | | | 0 | 0 | 0 |
| IKM7C 1560 | 1560 | 53.6 | 0 | | | 0 | 0 | 0 | IKM7P 1560 | 1560 | 15.3 | 0 | | | 0 | 0 | 0 |
| IKM7C 1580 | 1580 | 41.2 | 0 | | | 0 | 0 | 0 | IKM7P 1580 | 1580 | 22.5 | 0 | | | 0 | 0 | 0 |
| IKM7C 1600 | 1600 | 30.7 | 0 | | | 0 | 0 | 0 | IKM7P 1600 | 1600 | 31.6 | 0 | | | 0 | 0 | 0 |
| IKM7C 1620 | 1620 | 22.1 | 0 | | | 0 | 0 | 0 | IKM7P 1620 | 1620 | 42.7 | 0 | | | 0 | 0 | 0 |
| IKM7C 1640 | 1640 | 15.4 | 0 | | | 0 | 0 | 0 | IKM7P 1640 | 1640 | 55.6 | 0 | | | 0 | 0 | 0 |
| IKM7C 1660 | 1660 | 10.4 | 0 | | | 0 | 0 | 0 | IKM7P 1660 | 1660 | 70.2 | 0 | | | 0 | 0 | 0 |
| IKM7C 1680 | 1680 | 6.8 | 0 | | | 0 | 0 | 0 | IKM7P 1680 | 1680 | 86.2 | 0 | | | 0 | 0 | 0 |

| Implied volatility for ATM | | Previous day | 1D%CHG |
|---|---|---|---|
| **NOV CALL** | 0.00 | 0.00 | #DIV/0! |
| **NOV PUT** | 0.00 | 0.00 | #DIV/0! |
| **MEAN** | 0.00 | 0.00 | #DIV/0! |

| Implied volatility for ATM | | Previous day | 1D%CHG |
|---|---|---|---|
| **DEC CALL** | 0.00 | 0.00 | #DIV/0! |
| **DEC PUT** | 0.00 | 0.00 | #DIV/0! |
| **MEAN** | 0.00 | 0.00 | #DIV/0! |

| | 10Days | 20Days | 30Days | 60Days | 90Days |
|---|---|---|---|---|---|
| **Current** | 12.46 | 12.81 | 12.51 | 12.79 | 15.81 |
| **1 week ago** | 9.65 | 14.07 | 12.94 | 17.39 | 16.68 |
| **1 month ago** | 10.94 | 14.34 | 14.89 | 17.34 | 17.36 |
| **3 months ago** | 18.52 | 19.18 | 16.85 | 16.23 | 17.28 |
| **6 months ago** | 16.48 | 18.84 | 19.48 | 18.43 | 20.04 |

Source: Bloomberg

Kenanga Futures Sdn Bhd (353603-X)
General Line: (603) 2172 3888 Fax: (603) 2172 2729 Email: futures@kenanga.com.my

Disclaimer: "This document has been prepared for general circulation based on information obtained from sources believed to be reliable but we do not make any presentations as to its accuracy or completeness. Any recommendation contained in this document does not have regard to the specific investment objectives, financial background and the particular needs of any person who may read this document. This document is for the information of addressees only and is not be taken in substitution for the exercise of judgement and assessment by addressees in relation to any investment decision. Kenanga Futures Sdn Bhd accept no liability whatsoever for any direct or consequential loss arising from any use of this document or any solicitation of an offer to buy or sell any securities/underlying securities. Kenanga Futures Sdn Bhd and its associates, their directors, and/or employees may have positions in, and may effect transactions in securities/underlying securities mentioned herein from time to time in the open market or otherwise, and may receive brokerage fees or act as principal or agent in